

COLUMBIA RIVER AND MINOR TRIBUTARIES

LETTER

FROM

THE SECRETARY OF WAR

TRANSMITTING

PURSUANT TO SECTION 1 OF THE RIVER AND HARBOR ACT APPROVED JANUARY 21, 1927, A LETTER FROM THE CHIEF OF ENGINEERS, UNITED STATES ARMY, DATED MARCH 29, 1932, SUBMITTING A REPORT, TOGETHER WITH ACCOMPANYING PAPERS AND ILLUSTRATIONS, CONTAINING A GENERAL PLAN FOR THE IMPROVEMENT OF THE COLUMBIA RIVER AND MINOR TRIBUTARIES FOR THE PURPOSES OF NAVIGATION AND EFFICIENT DEVELOPMENT OF ITS WATER POWER, THE CONTROL OF FLOODS, AND THE NEEDS OF IRRIGATION

IN TWO VOLUMES

VOLUME II—Reports of the District Engineers at Seattle, Wash., Part 2, and Portland, Oreg., Part 3



MARCH 29, 1932.—Referred to the Committee on Rivers and Harbors.
JUNE 10, 1933.—Ordered to be printed (*see* H. Res. 178) with 38 illustrations.

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1934

For sale by the Superintendent of Documents, Washington, D.C. . . . Price, \$1.50 (paper cover)

II

CONTENTS—VOLUME II

(Comprising Parts 2 and 3)

PART 2.—REPORT OF THE DISTRICT ENGINEER, SEATTLE, WASH., ON COLUMBIA RIVER ABOVE THE MOUTH OF THE SNAKE RIVER

	Page
Chapter I.—Introduction.....	565
Authority and purpose.....	565
History of report:	
Preliminary investigation.....	566
Detailed investigation.....	566
General plan of investigation.....	566
Chapter II.—Data.....	572
Columbia River Basin.....	572
General.....	572
Geology.....	578
The principal geological formation represented from the oldest to the Pleistocene:	
Pre-Cambrian.....	579
Paleozoic.....	579
Mesozoic.....	580
Tertiary.....	580
Pleistocene.....	582
Soils.....	584
Summary of recent river history.....	585
The geological conditions along the Columbia that affect certain engineering problems.....	587
Topography:	
General.....	588
Profile.....	589
Medium low-water profile.....	590
High-water profile.....	590
Arable lands.....	591
Climate:	
General.....	592
Precipitation.....	593
Humidity.....	595
Fogs.....	597
Sunshine.....	597
Temperature.....	598
Growing season.....	599
Effect of temperature on human efficiency.....	600
Winds.....	601
Stream flow and storage:	
General.....	602
Unequal distribution of precipitation.....	602
Equalizing effects.....	602
Records.....	603
Period chosen for investigation.....	604
Periodic variation.....	605
Storage possibilities.....	606
Hungry Horse Reservoir.....	607
Flathead Lake.....	608
Priest Lake.....	609
Pend Oreille Reservoir.....	609
Coeur d'Alene Lake.....	610
Kootenai Lake.....	611

Chapter II.—Data—Continued.

Columbia River Basin—Continued.

Stream flow and storage—Continued.

General—Continued.

Storage possibilities—Continued.

	Page
Columbia River Reservoir.....	611
Grand Coulee Reservoir.....	612
Lake Chelan.....	614
Reservoirs on Wenatchee River.....	614
Reservoirs on Yakima River.....	615
Storage analyses.....	615
Plan of regulation.....	615
Seasonal regularity.....	616
Value of snow surveys.....	616
Availability of auxiliary fuel power in inter- connected systems.....	616
Procedure.....	616
Monthly units.....	617
Correction for natural storage.....	617
Criterion of regulation.....	617
Storage for irrigation.....	617
Characteristics of regulated flow.....	618
Varying storage from lakes.....	619
Loss of power head due to storage draft.....	619
Evaporation disregarded.....	619
Set-up.....	620
Effect of irrigation.....	621
Present effect.....	621
Future effect.....	621
Irrigable acreage.....	621
Above Newport.....	622
Columbia Basin irrigation project.....	622
Yakima Valley.....	624
Other areas below Newport.....	625
Summary.....	625

Tables:

General statement.....	626
Natural flow.....	626
Natural lake stages.....	638
Modified flow at power sites.....	641
Regulated elevations at some reservoir sites.....	652

Reservations:

Lands.....	654
Water.....	656

Population:

General.....	657
Present population and factors influencing the rate of growth.....	657
Trends in population growth.....	659
Formula used to translate assumed rates of increase into assumed population increase.....	662
Forecast of population growth for eastern Washington, eastern Oregon, and Idaho.....	662
Forecast of population growth for western Washington and western Oregon.....	663
Possible influence of power development on population growth.....	664
Other factors influencing the possible increase in population. Combined population growth for Washington, Oregon, and Idaho.....	666
Forecast of population growth for California.....	666
Forecast of population growth for the United States.....	667

Transportation routes

Waterways.....	667
Railroads.....	668
Highways.....	669
Airways.....	669

Chapter II.—Data—Continued.

Columbia River Basin—Continued.

	Page
Industries.....	670
Agriculture.....	670
Mining.....	677
Manufactures.....	678
Wood products.....	678
Lumber.....	678
Paper production.....	682
Packing products.....	683
Meats.....	683
Dairy.....	683
Fruit and vegetable canning.....	684
Textiles.....	684
Milling.....	684
Markets (Arcal imports).....	685
Navigation.....	686
General.....	686
History.....	686
Previous investigations and reports.....	687
Early projects and works of improvement.....	689
River craft.....	690
Description.....	691
Original condition.....	691
Navigation season and ice conditions.....	692
Current velocities—Existing; maximum desirable.....	692
Bridges.....	693
Terminals—Existing; needed.....	695
Past navigation.....	695
Commerce—Past, present, prospective.....	696
Local desires.....	697
Open-river improvement desirable for navigation only.....	697
Channel, canal and lock dimensions.....	697
Location and cost of dams and locks.....	698
Partial canalization.....	698
Complete canalization.....	700
Power.....	703
General considerations.....	703
Siltling.....	718
Definitions.....	719
Undeveloped.....	720
Sites on main stream.....	720
Kettle Falls.....	720
Detailed description.....	720
Résumé.....	721
Topography and geology.....	721
Power possibilities.....	722
Proposed development.....	723
Economic features.....	724
Earlier plans of development.....	725
Principal works proposed.....	726
Power.....	726
Estimated cost.....	726
Grand Coulee.....	726
Detailed description.....	726
Low dam.....	727
Résumé.....	727
Power possibilities.....	728
Proposed development.....	732
Economic features.....	734
High dam.....	742
Résumé.....	742
Power possibilities.....	742
Proposed development.....	746
Economic features.....	748
Earlier plans of development.....	754
Columbia Basin report.....	754
Report of Consulting engineers.....	754

Chapter II.—Data—Continued.

Power—Continued.

Undeveloped—Continued.

Sites on main stream—Continued.

Grand Coulee—Continued.

Earlier plans of development—Continued.

	Page
Batcheller report.....	754
Gault report.....	754
Principal works proposed.....	754
Power.....	754
Estimated cost.....	754
Goethals report.....	754
Board of Engineers report.....	755
Columbia Basin Board of Engineers report.....	755
Foster Creek.....	755
Detailed description.....	755
Résumé.....	755
Topography and geology.....	755
Power possibilities.....	756
Proposed development.....	759
Economic features.....	760
Earlier plans of development.....	761
Principal works proposed.....	762
Chelan.....	762
Detailed description.....	762
Résumé.....	762
Topography and geology.....	762
Power possibilities.....	763
Proposed development.....	766
Economic features.....	767
Earlier plans of development.....	768
Rocky Reach.....	769
Detailed description.....	769
Résumé.....	769
Topography and geology.....	769
Power possibilities.....	769
Proposed development.....	772
Economic features.....	773
Earlier plans of development.....	775
Rock Island.....	775
Detailed description.....	775
Résumé.....	776
Topography and geology.....	776
Power possibilities.....	776
Plan of development.....	779
Economic features.....	781
Earlier plans of development.....	781
Vantage.....	781
Detailed description.....	781
Résumé.....	781
Topography and geology.....	781
Power possibilities.....	782
Proposed development.....	785
Economic features.....	786
Earlier plans of development.....	788
Priest Rapids.....	788
Detailed description.....	788
Low dam.....	788
Résumé.....	788
Topography and geology.....	788
Power possibilities.....	789
Proposed development.....	791
Economic features.....	792
High dam.....	794
Résumé.....	794
Topography and geology.....	794
Power possibilities.....	794
Proposed development.....	796
Economic features.....	797

Chapter II.—Data—Continued.

Power—Continued.

Undeveloped—Continued.

Sites on main stream—Continued.

Priest Rapids—Continued.

Earlier plans of development.....

Principal works proposed.....

Power.....

Estimated cost.....

Tributary effects.....

Kootenai River.....

In the United States.....

In Canada.....

Flathead River.....

Diversion of Middle Fork to South Fork.....

Flathead River above Middle Fork.....

South Fork Flathead River at Hungry Horse Creek.....

Flathead River near Coram, Mont.....

Flathead River below Flathead Lake near Polson,
Mont.....Flathead River from the tailrace of the site near Polson
to its confluence with the Clark Fork.....

Clark Fork.....

Fish Creek site.....

Thompson Falls.....

Donlan site.....

Rock Island Gorge.....

Cabinet Gorge.....

Albany Falls.....

Z Canyon.....

Priest River and Lake.....

Coeur d'Alene Lake and Spokane River.....

General.....

Crossing site.....

Waterworks site.....

Bowl and Pitcher site.....

Fish Hawk site.....

Narrows site.....

General.....

Augmenting flow of Spokane River by diversion from
Clark Fork.....

Wenatchee River.....

Minor tributaries.....

Summary.....

Developed power.....

Power plants.....

Transmission lines.....

Market—Present and prospective.....

Past and present uses.....

Character, with relation to general use made of power, im-
portant industries, etc.....

Growth of territory since about 1900.....

Bearing of population growth on power uses.....

Industrial development.....

Present growth.....

Companies and municipalities supplying market.....

Puget Sound Power & Light Co.....

The Washington Water Power Co.....

Pacific Power & Light Co.....

Mountain States Power Co.....

Grays Harbor Railway & Light Co. and associated
companies.....

Washington Gas & Electric Co.....

The Montana Power Co.....

City of Seattle.....

City of Tacoma.....

City of Centralia.....

Crown-Zellerbach Corporation.....

Weyerhaeuser Timber Co.....

Page

799

799

799

799

799

800

800

801

802

802

802

803

804

805

807

808

808

808

808

809

809

810

812

814

817

817

819

820

820

820

820

820

822

823

825

826

829

829

833

836

836

836

836

837

837

839

840

840

840

842

844

844

845

846

846

846

847

848

848

848

849

Chapter II.—Data—Continued.

Market—Present and prospective—Continued.

Past and present uses—Continued.

Present growth—Continued.

	Page
Characteristics of supply of power.....	850
Steam fuel, etc.....	850
Hydro, seasonal variations, etc.....	851
Oil engines.....	852
Cost and sale price of power as affecting markets.....	852
Growth of market.....	856
Investment and revenue.....	856
Installed capacity.....	857
Output in kilowatt-hours.....	858
Probable future expansion.....	859
Based on past records.....	859
Special conditions which may affect future growth.....	860
Favorable.....	860
Unfavorable.....	861
Possible new industries—especially those which may consume large quantities of power.....	861
Commerce and development of seaboard communities.....	863
Forecast of probable future expansion.....	864
Flood control.....	867
Floods.....	867
Magnitude.....	867
Duration.....	868
Frequency.....	869
Areas affected.....	869
Losses and damages.....	870
Existing protective works.....	871
Irrigation.....	872
General consideration.....	872
Present status.....	872
Sources of water.....	874
Irrigable areas.....	874
Location.....	874
Character.....	877
Ownership.....	877
Existing irrigation development.....	878
Yakima project.....	881
General description.....	882
Kittitas division.....	882
Tieton division.....	883
Moxee division.....	884
Wapato project.....	884
Sunnyside division.....	885
Roza division.....	885
Kennewick division.....	886
Costs and related matters.....	886
Okanogan project.....	888
Flathead project.....	890
State irrigation activities.....	894
Wenatchee district.....	895
Private projects, Okanogan and Methow Valleys.....	896
Possible irrigation development.....	896
Earlier investigations.....	896
Present investigation.....	899
Tracts considered.....	900
Irrigation of individual areas.....	900
Rathdrum Prairie.....	900
Little Spokane Valley.....	903
Methow-Okanogan project.....	903
Greater Wenatchee project.....	904
Main canal.....	906
Distributing system.....	908
General project items.....	908
Drainage.....	909
Wasteways.....	909

Chapter II.—Data—Continued.

Irrigation—Continued.

Possible irrigation development—Continued.

Present investigation—Continued.

Irrigation of individual areas—Continued.

Greater Wenatchee project—Continued.

General project items—Continued.

	Page
Supplemental pumping	909
Telephones	909
Wells	910
Permanent buildings	910
Estimates of cost	910
Stage development	911
Quincy project	912
Priest Rapids project	912
General data	912
Bend pumping plant	913
Canal system	914
High-line canal	914
Low-line canal	915
General project items	916
Drainage	916
Wasteways	916
Supplemental pumping	916
Telephone systems	916
Wells	916
Permanent buildings	916
Preliminary work	916
Other features	916
Estimates of cost	916
Stage development	917
Power from Grand Coulee power develop- ment	918
Power from Priest Rapids power develop- ment	919
Pasco project	919
Palouse project	919
Lind project	921
Hanford project	922
Marginal areas	924
Irrigation of combined areas	926
The Columbia Basin irrigation project	927
General data	927
General location	930
Land classification	930
Duty of water and seasonal distribution thereof	932
Water supply	933
Canal and reservoir losses	934
Rediverted water	935
Engineering treatment	936
Plans considered	939
Plan no. 2-A	940
Main canal	941
Distributing system	941
General project items	942
Drainage	942
Wasteways	943
Supplemental pumping	943
Telephone systems	945
Wells	945
Permanent buildings	945
Other features	945
Estimates of cost	945
Stage development	948
Plan no. 2	950
Estimate	951
Stage development	952

Chapter II.—Data—Continued.

Irrigation—Continued.

Possible irrigation development—Continued.

Present investigation—Continued.

Irrigation of combined areas—Continued.

The Columbia Basin irrigation project—Contd.

General data—Continued.

	Page
Plan no. 1.....	953
Plan no. 6-A.....	953
Division A.....	954
Main canal.....	954
Distributing system.....	955
Main north.....	955
Main south.....	955
Main central.....	955
Project items.....	955
Drainage.....	955
Wasteways.....	955
Supplemental pumping.....	955
Telephone systems.....	956
Wells.....	956
Permanent buildings.....	956
Preliminary works.....	956
Other features.....	956
Estimates of cost.....	956
Stage development.....	958
Plan no. 4.....	959
Main canal system.....	959
Distributing system.....	967
General project items.....	967
Drainage.....	967
Wasteways.....	968
Supplemental pumping.....	968
Telephone system.....	970
Wells.....	970
Permanent buildings.....	970
Preliminary work.....	970
Other features.....	970
Estimate.....	970
Stage development.....	973
Elimination of Grand Coulee Reser- voir.....	974
Plan no. 4-A.....	975
Division A.....	975
Main canal.....	976
Distributing system.....	976
Main west.....	976
Main east.....	976
Project items.....	977
Drainage.....	977
Wasteways.....	977
Supplemental pumping.....	977
Telephone system.....	978
Wells.....	978
Permanent buildings.....	979
Preliminary work.....	979
Other features.....	979
Estimate.....	979
Stage development.....	981
Division B.....	982
Additional areas.....	986
Plan no. 3.....	986
Soils.....	987
Irrigable area.....	988
General discussion of soil conditions in different areas.....	989
Conclusion.....	991

Chapter II.—Data—Continued.	Page
Markets.....	991
Combined uses.....	994
Chapter III.—Discussion.....	999
Navigation.....	999
Power.....	1002
Flood control.....	1009
Irrigation.....	1009
General.....	1009
Rathdrum Prairie.....	1010
Little Spokane Valley.....	1010
Methow-Okanogan.....	1010
Greater Wenatchee.....	1010
Quincy area.....	1010
Priest Rapids.....	1010
Pasco.....	1011
Palouse.....	1011
Lind.....	1011
Hanford.....	1012
Marginal areas.....	1012
Combined areas.....	1012
Columbia Basin irrigation project.....	1012
Conclusions relative to construction costs.....	1014
Cost of land and land improvements.....	1014
Productive value of land prior to irrigation development.....	1014
Cost of leveling.....	1015
Cost of buildings.....	1016
Cost of domestic water supply.....	1017
Total cost of land development.....	1017
Summary of costs of construction and land development.....	1017
Total annual repayments necessary to meet costs.....	1018
Permissible charges for water based on returns from agricultural operations.....	1018
Influence of soil on production.....	1018
Influence of population and markets on farm returns.....	1019
Cost of production and probable yields and prices.....	1020
Net returns in the case of existing farms in Idaho and Washington.....	1020
Estimated returns from farms of the Columbia Basin irrigation project.....	1021
Marginal farm.....	1021
Average farm.....	1023
Better than average farm.....	1023
Price of farm products.....	1023
Character of the products shipped to the consuming centers.....	1023
Estimated expense on marginal farm, average farm, and better than average farm.....	1024
Estimated value of developed land in the Columbia Basin irrigation project.....	1025
Increment in land value.....	1025
Subdivision of land and settlement.....	1026
Number of settlers needed.....	1026
Source of settlers.....	1027
Rate of settlement.....	1027
Effect of rate of settlement.....	1029
Probable need for additional land to supply the needs of the Northwest.....	1032
Selection of settlers.....	1034
Credit.....	1034
Sources of credit.....	1034
Private credit.....	1934
State or Government credit.....	1035
Summary of facts covering permissible charges against farm land for construction costs.....	1035
Assessments for water costs.....	1036
Possible returns from the sales of power.....	1037

Chapter III.—Discussion—Continued.	Page
Benefits from irrigation development against which construction costs may be charged.....	1037
Benefits to the farmer resulting from irrigation development.....	1038
Benefits to local business interests as a result of irrigation development.....	1040
Summary.....	1042
Benefits to regional business interests as a result of irrigation development.....	1042
Benefits to regional centers resulting from the creation of local buying power.....	1044
Summary of regional benefits.....	1046
Benefits to transportation interests.....	1046
Benefits to power.....	1047
Benefits to the public.....	1048
Summary of benefits.....	1048
Possibility and desirability of assessing benefits.....	1049
Formation of a large district to embrace the area benefited.....	1051
Desirable time to start development.....	1051
Possibility of combining returns from power development and irrigation to meet construction costs.....	1053
Possible alternative uses of the revenue from power.....	1053
Conclusions.....	1054
Combined features.....	1054
Chapter IV.—Comprehensive plan.....	1058
Elements of the plan.....	1058
Mouth of Snake to foot of Priest Rapids.....	1059
Priest Rapids.....	1059
Rock Island Rapids.....	1059
Rocky Reach and Chelan.....	1059
Foster Creek.....	1060
Grand Coulee.....	1060
Regulation of storage.....	1060
Hungry Horse Reservoir.....	1060
Flathead Lake.....	1060
Pend Oreille Lake.....	1060
Columbia Basin irrigation project.....	1060
Irrigation of other areas.....	1061
Flood control.....	1061
Summary of comprehensive plan.....	1061
Navigation structures.....	1061
Power development.....	1061
Flood control.....	1061
Irrigation.....	1062
Items included in plan for which estimates are not prepared.....	1062
Items that may at some future time form part of the comprehensive plan but are not at present included.....	1062
Economic analysis.....	1062
Chapter V.—Conclusions and recommendations.....	1064
Conclusions.....	1064
Recommendations.....	1066
Appendixes:	
No. 1. Mineral Resources of the Columbia River Basin by Henry Landes, geologist.....	1068
No. 2. Water Supply Studies.....	1112
No. 3. Geological Reports.....	1178
No. 4. Lumber Industry in Washington.....	1211
No. 5. Detailed Description and Cost Estimate for Columbia Basin Irrigation Project.....	1284
No. 6. Bibliography.....	1389
No. 7. Topographic maps of the Columbia River above the mouth of the Snake and of a portion of Grand Coulee, Wash. (Submitted but not printed). ¹	
Memorandum from the division engineer, Pacific division, dated Oct. 23, 1931, pertaining to rates of power growth.....	1403
Letters from the district engineer, Seattle, Wash., dated Dec. 1 and 7, 1931, <i>in re</i> financial study of Grand Coulee power project and Columbia basin irrigation project, sending diagrams nos. 1, 2, 3, 4, 5, and 6.....	1403, 1406

¹ For description see items 3 and 4, page 1389.

TABLES

No.	Page
1. Data relating to Columbia River.....	572
2. Data relating to the principal tributaries of the Columbia River.....	573
3. Irrigated and irrigable lands.....	592
4. Normal precipitation for various stations in Washington, Idaho, and Montana.....	594
5. 1929 infant mortality rate per 1,000 births.....	596
6. Hours of sunshine in various parts of the globe.....	597
7. Temperatures for stations in Washington.....	598
8. Temperatures for various stations in Washington, Idaho, and Montana.....	598
9. Data of killing frosts and length of growing season.....	599
10. Wind velocities for stations in Washington and Idaho.....	601
11. Gaging stations established in connection with the present investigation.....	604
12. Comparative yield for periods longer and shorter than that chosen for the water supply and storage analyses; percent of average yield for the 18 years ending Mar. 31, 1931.....	605
13. Reservoir sites given consideration in the present investigation.....	607
14. Variation in power requirements in Washington and Montana, in percent of annual average, 1920-26, inclusive. Combined water-power and fuel-plant production.....	618
15. Assumed irrigable acreage above Snake River.....	621
16. Assumed diversion for the Columbia Basin irrigation project (units of 1,000 acre-feet).....	623
17. Estimated seepage return from the Columbia Basin irrigation project.....	623
18. Roughly approximate effect of irrigation in Yakima Valley.....	625
19. Assumed diversion and return from 1 acre of land.....	625
20. Summary of estimated effect of future irrigation.....	626
21. Columbia River at Trail, British Columbia, monthly discharge.....	627
22. Columbia River at Kettle Falls, Wash., monthly discharge.....	628
23. Columbia River at Grand Coulee, Wash., monthly discharge.....	628
24. Columbia River above Chelan River, Wash., monthly discharge.....	629
25. Columbia River above Wenatchee River, Wash., monthly discharge.....	629
26. Columbia River at Vernita, Wash., monthly discharge.....	630
27. Kootenai River at Nelson, British Columbia, monthly discharge.....	630
28. South Fork Flathead River near Columbia Falls, Mont., monthly discharge.....	631
29. Flathead River near Polson, Mont., monthly discharge.....	631
30. Clark Fork near Heron, Mont., monthly discharge.....	632
31. Clark Fork at Newport, Wash., monthly discharge.....	632
32. Clark Fork at Metaline Falls, Wash., monthly discharge.....	633
33. Priest River near Coolin, Idaho, monthly discharge.....	633
34. Spokane River at Post Falls, Idaho, monthly discharge.....	634
35. Spokane River at Spokane, Wash., monthly discharge.....	634
36. Spokane River near Long Lake, Wash., monthly discharge.....	635
37. Okanogan River at Okanogan, Wash., monthly discharge.....	636
38. Chelan River at Chelan, Wash., monthly inflow.....	636
39. Wenatchee River near Leavenworth, Wash., monthly discharge.....	637
40. Wenatchee River at Dryden, Wash., monthly discharge.....	637
41. Chiwawa River at proposed dam site, monthly discharge.....	638
42. Kootenai Lake at Kootenai Landing, lake stages.....	639
43. Flathead Lake at Polson and Somers, Mont., lake stages.....	639
44. Priest Lake near Coolin, Mont., lake stages.....	640
45. Pend Oreille Lake at Sandpoint, Idaho, and Hope, Idaho, lake stages.....	640
46. Coeur d'Alene Lake at Coeur d'Alene, Idaho, lake stages.....	641
47. Columbia River at Grand Coulee and Foster Creek power sites, modified discharge.....	642
48. Columbia River at Chelan power site, modified discharge.....	642
49. Columbia River at Rocky Reach power site, modified discharge.....	643
50. Columbia River at Rock Island Rapids and Vantage power sites, modified discharge.....	644
51. Columbia River at Priest Rapids power site, modified discharge.....	644
52. Effect of upstream regulation on discharge of Columbia River at mouth of Snake River.....	645
53. Kootenai River below Kootenai Lake, regulated discharge.....	645

No.	Page
54. South Fork of Flathead River at Hungry Horse power site, regulated discharge.....	646
55. Flathead River below Flathead Lake, modified discharge.....	646
56. Clark Fork at Montana-Idaho boundary, modified discharge.....	647
57. Clark Fork at Albany Falls power site, modified discharge.....	647
58. Clark Fork at Metaline Falls power site, modified discharge.....	648
59. Priest River below Priest Lake, modified discharge.....	648
60. Spokane River at Post Falls power site, modified discharge.....	649
61. Spokane River at Spokane, modified discharge.....	649
62. Chelan River below Lake Chelan, modified discharge.....	650
63. Wenatchee River below Wenatchee reservoir, modified discharge....	650
64. Wenatchee River at Dryden power site, modified discharge.....	651
65. Chiwawa River at Chiwawa power site, regulated discharge.....	651
66. Flathead Reservoir, regulated stage.....	652
67. Priest Reservoir, regulated stage.....	652
68. Pend Oreille Reservoir, regulated stage.....	653
69. Coeur d'Alene Reservoir, modified stage.....	653
70. Columbia River Reservoir, regulated stage.....	654
71. United States reservations and public lands, and State-owned lands in the Columbia River Drainage Basin above the mouth of Snake River in the States of Washington, Idaho, and Montana.....	655
72. National forests in the Columbia River Drainage Basin above the mouth of Snake River.....	655
73. Indian reservations, unallotted lands in the Columbia River Drainage Basin above the mouth of Snake River.....	655
74. Military reservations in the Columbia River Drainage Basin above the mouth of Snake River.....	655
75. United States public lands unappropriated and unreserved on July 1, 1930, in the Columbia River Drainage Basin above the mouth of Snake River.....	656
76. State-owned lands in the Columbia River Drainage Basin above the mouth of Snake River, Sept. 30, 1930.....	656
77. Population of United States and Western States, 1870-1930.....	658
78. Various forecasts of population growth for Washington, Oregon, and Idaho, and for California and the United States.....	659
79. Comparative rates of population growth in agricultural and industrial communities.....	662
80. Forecast of population growth for Washington, Oregon, Idaho, and California by decades to 1970.....	666
81. Wheat yields, prices and returns in various States, 1918-29.....	671
82. Foreign distribution of grain and grain products shipped from selected counties, 1924-29 average.....	671
83. Field crops: Acreage, production, and value, Washington, Oregon, and Idaho, 1914, 1919, 1924, and 1929.....	673
84. Free fruits and nuts: Number of trees, production and value, Washington, Oregon, and Idaho, 1914, 1919, 1924, and 1929.....	674
85. Small fruits and vegetables: Acreage, production, and value, Washington, Oregon, and Idaho, 1919, 1924, and 1929.....	674
86. Livestock and livestock products: Quantity and value, Washington, Oregon, and Idaho, 1914, 1919, 1924, 1929.....	675
87. Distribution of truck crops, Pasco, Wash., area for 1930.....	677
88. Mining districts of counties along the Columbia River.....	678
89. Lumber production in the 10 leading States, 1929-26.....	679
90. Lumber production in upper Columbia Basin, Western States, and United States, 1929-26.....	679
91. Standing timber according to ownership in each county.....	680
92. Varieties of timber in the upper Columbia Basin.....	681
93. Distribution of lumber by States from upper Columbia Basin.....	681
94. Milk production in upper Columbia Basin, Western States, and United States, 1900-30.....	683
95. Reports on examinations and surveys.....	688
96. Bridges over Columbia River between the mouth of Snake River and the international boundary.....	694
97. Utilization of head, 18-year period ended March 31, 1931.....	705
98. Power-duration at Grand Coulee power site for 18-year period expressed in percent of that for the 17-year period.....	707

No.	Page
99. Potential power in thousands of kilowatts at 80 percent efficiency for the 17-year period ended Mar. 31, 1930.....	707
100. Summary of power possibilities at 80 percent efficiency for the Columbia River above the Snake and its principal tributaries.....	708
101. Summary of hydrometric data, Columbia River above Snake River...	710
102. Assumed limiting conditions controlling power output for the 17-year period from Apr. 1, 1913 to Mar. 31, 1930.....	714
103. Terminology used in power section.....	716
104. Columbia River at Wenatchee, average turbidity in parts per million.....	719
105. Energy available at the Kettle Falls for 17-year period ended Mar. 31, 1930.....	723
106. Estimate of the capital cost of development at Kettle Falls site for an installed capacity of 447,700 kilowatts.....	724
107. Estimate of annual cost of power production at Kettle Falls with an installed capacity of 447,700 kilowatts.....	725
108. Backwater conditions at Kettle Falls.....	728
109. Principal data, Grand Coulee low dam, for the 17-year period ended Mar. 31, 1930.....	729
110. Characteristics of certain dams.....	733
111. Estimated capital cost of development at Grand Coulee low dam, for installed capacity of 1,230,000 kilowatts.....	735
112. Estimate of annual cost of power production at Grand Coulee low dam, pumping plan, with an installed capacity of 1,230,000 kilowatts.....	736
113. Schedule of installation for Grand Coulee low dam.....	737
114. Monthly plant capacity factor for Grand Coulee low dam for period April 1929 to March 1930.....	738
115. Financial set-up for step development of power plant for Grand Coulee low dam.....	740
116. Principal data, Grand Coulee high dam for the 17-year period ended March 31, 1930.....	743
117. Estimate of capital cost of development at Grand Coulee high dam for installed capacity of 1,575,000 kilowatts.....	748
118. Estimate of annual cost of power production at Grand Coulee high dam, gravity or pumping plan, with an installed capacity of 1,575,000 kilowatts.....	749
119. Schedule of installation of power equipment for Grand Coulee high dam.....	750
120. Monthly plant capacity factor for Grand Coulee high dam for period April 1929 to March 1930.....	751
121. Financial set-up for step development of power plant for Grand Coulee high dam.....	752
122. Principal data, Foster Creek site, for the 17-year period ended March 31, 1930.....	758
123. Estimate of capital cost of Foster Creek site.....	760
124. Estimate of annual cost of power production at Foster Creek with an installed capacity of 691,200 kilowatts.....	761
125. Principal data, Chelan site, for the 17-year period ended March 31, 1930.....	765
126. Estimate of capital cost of development at Chelan site for an installed capacity of 450,000 kilowatts.....	767
127. Estimate of annual cost of power production at Chelan with an installed capacity of 450,000 kilowatts.....	768
128. Principal data, Rocky Reach site, for the 17-year period ended March 31, 1930.....	771
129. Estimate of capital cost of Rocky Reach site for an installed capacity of 336,000 kilowatts.....	774
130. Estimate of annual cost of power production at Rocky Reach with an installed capacity of 336,000 kilowatts.....	775
131. Principal data, Rock Island site, for the 17-year period ended March 31, 1930.....	778
132. Principal data, Vantage site, for 17-year period ended March 31, 1930.....	783
133. Estimate of capital cost of development at Vantage site for an installed capacity of 300,000 kilowatts.....	786
134. Estimate of annual cost of power production at Vantage with an installed capacity of 300,000 kilowatts.....	787
135. Principal data, Priest Rapids site, low dam, for the 17-year period ended March 31, 1930.....	790

No.	Page
136. Estimate of capital cost of development at Priest Rapids site, low dam, for an installed capacity of 390,000 kilowatts.....	792
137. Estimate of annual cost of power production at Priest Rapids low dam with an installed capacity of 390,000 kilowatts.....	793
138. Principal data, Priest Rapids site, high dam, for 17-year period ended March 31, 1930.....	795
139. Estimate of capital cost of development at Priest Rapids site, high dam, for an installed capacity of 648,000 kilowatts.....	797
140. Estimate of annual cost of power production at Priest Rapids high dam with an installed capacity of 648,000 kilowatts.....	798
141. Kootenai River at Nelson, B.C., monthly discharge.....	801
142. Hungry Horse project, monthly discharge.....	803
143. Hungry Horse site, estimated flow and power duration for the 18-year period ended Mar. 31, 1931.....	804
144. Hungry Horse Reservoir, flood-control analysis.....	804
145. Flathead River near Polson, Mont., monthly flow duration.....	806
146. Flathead River at Polson, Mont., monthly discharge.....	806
147. Flathead River at Polson, Mont., monthly power duration at 80 percent efficiency.....	807
148. Flathead River sites, monthly power duration at 80 percent efficiency.	807
149. Fish Creek site, estimated monthly flow and power duration.....	808
150. Thompson Falls, monthly flow duration and power duration at 80 percent efficiency.....	808
151. Donlan site, monthly flow duration and power duration at 80 percent efficiency.....	808
152. Rock Island Gorge, monthly flow duration and power duration at 80 percent efficiency.....	809
153. Clark Fork at Montana-Idaho line, monthly discharge.....	809
154. Cabinet Gorge, monthly flow duration and power duration at 80 percent efficiency.....	810
155. Clark Fork at Newport, Wash., monthly discharge.....	811
156. Estimated power duration at Albany Falls at 80 percent efficiency..	812
157. Clark Fork at Metaline Falls, monthly discharge.....	813
158. Estimated power duration at Z Canyon at 80 percent efficiency.....	814
159. Priest River near Coolin, Idaho, monthly discharge.....	815
160. Estimated power duration of Priest River at 80 percent efficiency..	816
161. Spokane River at Spokane, Wash., monthly discharge.....	818
162. Little Falls, monthly flow duration.....	818
163. Estimated monthly flow duration at Spokane River sites.....	819
164. Undeveloped power sites on Spokane River.....	819
165. Estimated monthly power duration at Spokane River sites.....	821
166. Wenatchee and Chiwawa Rivers, monthly flow duration.....	824
167. Approximate power duration of Wenatchee River sites in kilowatts at 80 percent efficiency.....	825
168. Potential water power on four tributaries of the Columbia River.....	826
169. Summary of power possibilities on tributaries of Columbia River above the Snake River.....	827
170. Principal public-utility companies and developed power.....	831
171. Principal developed powers in British Columbia.....	833
172. Mileage of overhead electric transmission and distribution lines.....	834
173. Principal transmission lines.....	835
174. Number of residential consumers of electric power.....	837
175. Average sales to residential consumers in kilowatt-hours per year per consumer.....	837
176. Kilowatt-hours per domestic consumer.....	838
177. Sales to residential customers, 1929.....	838
178. Value added in manufacture by Washington industries, by census years, expressed in \$1,000 units.....	839
179. Sales to large power consumers, 1929.....	840
180. Cost of transmission per kilowatt-hour for 220,000-volt lines of different lengths, 6 percent money.....	855
181. Cost of transmission per kilowatt-hour for 220,000-volt lines of different lengths, 4 percent money.....	856
182. Value of plant and equipment in light and power industry.....	856
183. Annual revenue from electric service.....	857

No.	Page
184. Generator rating installed in central power stations.....	857
185. Rated generator capacity installed in central stations in the Seattle district.....	858
186. Production of central electric power stations.....	858
187. Production of central electric power stations in the Seattle district...	859
188. Percent increase in kilowatt-hour production.....	860
189. Increase in generation. Percent increase over preceding year.....	865
190. High-water elevations on Flathead, Pend Oreille, and Coeur d'Alene Lakes.....	868
191. Data pertaining to irrigated and irrigable land in Washington, Idaho, and Montana.....	875
192. Ownership of lands under the Columbia Basin irrigation project.....	878
193. Storage reservoirs in the Yakima district.....	882
194. Statistics regarding Yakima project.....	886
195. Statistics regarding population and construction costs, Yakima project.....	887
196. Crop report for 1929 for Yakima project.....	887
197. Operation and maintenance cost per acre on the Yakima and Okanogan projects.....	887
198. Statistics regarding Okanogan project.....	889
199. Crop report for 1929 for Okanogan project.....	890
200. Water requirements for the Greater Wenatchee project.....	907
201. Stage development, Greater Wenatchee project.....	911
202. Irrigable areas contiguous to the Columbia River.....	926
203. Irrigable areas.....	932
204. Unit prices.....	938
205. Water requirements for plan no. 2-A.....	940
206. Power possibilities, plan no. 2-A.....	943
207. Stage development, plan no. 2-A.....	949
208. Stage development, plan no. 2.....	952
209. Water requirements for plan no. 6-A.....	954
210. Stage development, plan no. 6-A, division A.....	958
211. Plan no. 6-A.....	959
212. Water requirements for plan no. 4.....	960
213. Available power, plan no. 4.....	968
214. Stage development, plan no. 4.....	974
215. Laterals diverting from main cast, plan no. 4-A.....	977
216. Available developments, plan no. 4-A, division A.....	978
217. Stage development, plan no. 4-A.....	981
218. Plan no. 4-A; division A, power from Grand Coulee; division B, power from Grand Coulee.....	982
219. Plan no. 4-A; division A, power from Grand Coulee; division B, power from Priest Rapids.....	982
220. Siphons and transitions, plan no. 4-A.....	983
221. Tunnels, plan no. 4-A.....	984
222. Canals, plan no. 4-A.....	984
223. Estimated production of livestock products on Columbia Basin irrigation project compared to the estimated demand of the increased population in 1960.....	993
224. Summary of cost of constructing locks and other necessary improvements for navigation in connection with power development.....	998
225. Cost per ton for water transportation on the Columbia River.....	1001
226. Summary of costs.....	1007
227. Power capacity as defined by Federal Power Commission.....	1009
228. Compilation of costs for plans considered for reclaiming the Columbia Basin irrigation project.....	1013
229. Cost of land and land improvements in the pumping unit of the Columbia Basin irrigation project.....	1015
230. Estimated income from farms of the Columbia Basin irrigation project.....	1022
231. Estimated income from the sale of livestock and livestock products from the average farm on the Columbia Basin irrigation project...	1024
232. Estimated operating expense of an 80-acre farm of the Columbia Basin irrigation project.....	1024

No.	Page
233. Acres per farm, persons per farm, acres per person, value of farm produce per acre and value of farm produce per person in Yakima Valley, Wash.; Twin Falls County, Idaho; and Imperial County, Calif.-----	1026
234. Extent to which the estimated full capacity of irrigation enterprises is utilized at various periods after construction begins.-----	1027
235. Increase in irrigated area in Washington, Oregon, Idaho, and California for each decade since 1890.-----	1028
236. New lands anticipated to be irrigated on projects which are now authorized and under construction or which have been approved for construction in the near future in the States of Idaho, Washington, and Oregon.-----	1033
237. Cost of irrigation water under different types of enterprises.-----	1036
238. Wholesalers by kind of business, Spokane, Wash.-----	1045

PHOTOGRAPHS ¹

- Dry Falls in Grand Coulee.
- Abandoned farm.
- Flathead Lake.
- Priest Lake.
- Pend Oreille Lake.
- Looking southwest down Grand Coulee.
- Chelan Lake.
- Foster Creek Rapids.
- Priest Rapids.
- Columbia River at Grand Coulee.
- Kettle Falls.
- Rock Island power plant (under construction).
- Aerial view of dam site, Flathead River near Polson, Mont.
- Clark Fork above Albany Falls.
- Albany Falls.
- Coeur d'Alene Lake, Idaho.
- Wenatchee Lake.
- Downstream view of Post Falls power plant, Post Falls, Idaho.
- Long Lake development.
- Flathead Valley at mouth of Flathead River.
- Rich soil; level sand.
- Irrigated lands, Yakima Valley.
- Dairy herd near Yakima.
- Wenatchee orchards.
- Rock Lake.

ILLUSTRATIONS

[Only pls. 1, 2, 3, 35, 43, 57, 58, 127, 131, 142, 146, and 147 printed. Copies of the unpublished illustrations may be procured at cost of reproduction from the District Engineer, United States Engineer Office, Seattle, Wash.]

GENERAL

Plate no.	Page
1. Upper Columbia River Basin.-----	565
2. Profile of Columbia River and tributaries.-----	590
3. Irrigated and irrigable areas.-----	590
Climate:	
4. Climatological data.	
5. Isohyetals—Annual precipitation.	
6. Temperature, humidity, and precipitation.	
7. Wet-bulb temperatures.	
8. Effect of temperature on productivity.	
9. Zones of favorable temperature.	
Stream flow:	
10. Columbia at The Dalles—Cumulative departure.	
11. Columbia River and upper tributaries—Variation in flow.	

¹ Not printed

Plate no.		Page
	Stream flow—Continued.	
	Area capacity curves:	
12.	Hungry Horse Reservoir.	
13.	Flathead Lake.	
14.	Priest Lake.	
15.	Pend Oreille Lake.	
16.	Cocur d'Alene Lake.	
17.	Kootenai Lake.	
18.	Columbia River Reservoir.	
19.	Grand Coulee Reservoir.	
20.	Chelan Lake.	
21.	Wenatchee Reservoir.	
24.	Chiwawa Reservoir.	
22.	Wenatchee Dam site—Topography.	
23.	Chiwawa Dam site—Topography.	
34.	Hydrograph of Columbia River at Vernita, Wash.	
35.	Summary of discharge data.-----	712
	Flow duration:	
103.	Kootenai River at Nelson, British Columbia.	
104.	South Fork Flathead River.	
105.	Flathead River near Polson.	
106.	Clark Fork at Montana-Idaho boundary.	
107.	Clark Fork at Albany Falls.	
108.	Clark Fork at Metaline Falls.	
109.	Priest River near Coolin.	
110.	Spokane River at Spokane.	
111.	Spokane River below Little Falls.	
112.	Wenatchee River near Leavenworth.	
113.	Wenatchee River at Dryden.	
	Reservations:	
25.	Reservations.	
	Population:	
26.	Population distribution.	
27.	Population trends.	
	Transportation:	
28.	Railroads.	
29.	Important highways.	
	Industries:	
30.	Grain-producing areas in upper Columbia Basin.	
31.	Horticulture-producing areas in upper Columbia Basin.	
32.	Timbered areas in upper Columbia Basin.	
	Navigation:	
33.	Navigable condition.	
	POWER	
	General:	
34.	Hydrograph of Columbia River at Vernita, Wash.	
35.	Summary of discharge data.-----	712
36.	Comparative energy costs.	
	Little Dalles Dam site:	
38.	Topography.	
	Kettle Falls site:	
37.	Plan and cross sections.	
39.	Power graphs.	
40.	Plant capacity and utilization factors.	
41.	Monthly power duration curves.	
42.	Cost per kilowatt-hour for varying plant-capacity factors.	
	Grand Coulee site:	
18.	Columbia River Reservoir—Area capacity curves.	
19.	Grand Coulee Reservoir—Area capacity curves.	
43.	Topography.-----	726
	Low dam:	
44.	Power graphs.	
45.	Plant capacity and utilization factors.	
46.	Power distribution graph.	
47.	Potential power duration.	

Plate no.		Page
	Grand Coulee site—Continued.	
	Low dam—Continued.	
48.	Commercial power duration.	
49.	Plan and elevation.	
50.	Sections of structures.	
51.	Cost per kilowatt-hour for varying plant-capacity factors.	
	High dam:	
52.	Power graphs.	
53.	Plant capacity and utilization factors.	
54.	Power distribution graph.	
55.	Potential power duration.	
56.	Commercial power duration.	
57.	Plan and elevation.....	746
58.	Sections of structures.....	746
60.	Cost per kilowatt-hour for varying plant-capacity factors.	
59.	High and low dam—Wiring diagrams.	
	Gaviota Dam site:	
62.	Topography.	
	Foster Creek site:	
61.	Topography.	
63.	Power graphs.	
64.	Plant capacity and utilization factors.	
65.	Power duration curves.	
66.	Plan and elevation.	
67.	Sections of structures.	
68.	Cost per kilowatt-hour for varying plant-capacity factor.	
70.	Wells Dam site: Topography.	
	Chelan site:	
69.	Plan and cross-sections.	
71.	Power graphs.	
72.	Plant capacity and utilization factors.	
73.	Power duration curves.	
74.	Cost per kilowatt-hour for varying plant-capacity factor.	
	Rocky Reach site:	
75.	Plan and topography.	
76.	Plant capacity and utilization factor.	
77.	Power graphs.	
78.	Power duration curves.	
79.	Sections of structures.	
80.	Cost per kilowatt-hour for varying plant-capacity factor.	
	Rock Island site:	
81.	Plan and sections.	
82.	Power graphs.	
83.	Plant capacity and utilization factors curves.	
84.	Power duration curves.	
86.	Island Rapids site: Topography.	
	Vantage site:	
85.	Plan and sections.	
87.	Power graphs.	
88.	Plant capacity and utilization factors.	
89.	Power duration curves.	
90.	Cost per kilowatt-hour for varying plant-capacity factor.	
	Priest Rapids site:	
	Low dam:	
91.	Plan and longitudinal section.	
92.	Power graphs.	
93.	Plant capacity and utilization factors.	
94.	Power duration curves.	
95.	Sections of structures.	
96.	Cost per kilowatt-hour for varying load factors.	
	High dam:	
97.	Plan and profile.	
98.	Power graphs.	
99.	Plant capacity and utilization factors.	
100.	Power duration curves.	
101.	Sections of structures.	
102.	Cost per kilowatt-hour for varying load factors.	

- Plate
no.
- Power graphs:
39. Kettle Falls.
44. Grand Coulee, low dam.
52. Grand Coulee, high dam.
63. Foster Creek.
71. Chelan.
77. Rocky Reach.
82. Rock Island.
87. Vantage.
92. Priest Rapids, low dam.
98. Priest Rapids, high dam.
- Plant capacity and utilization factors:
40. Kettle Falls.
45. Grand Coulee, low dam.
53. Grand Coulee, high dam.
64. Foster Creek.
72. Chelan.
76. Rocky Reach.
83. Rock Island.
88. Vantage.
93. Priest Rapids, low dam.
99. Priest Rapids, high dam.
- Power duration curves:
41. Kettle Falls.
47. Grand Coulee, low dam (potential).
48. Grand Coulee, low dam (commercial).
55. Grand Coulee, high dam (potential).
56. Grand Coulee, high dam (commercial).
65. Foster Creek.
73. Chelan.
78. Rocky Reach.
84. Rock Island.
89. Vantage.
94. Priest Rapids, low dam.
100. Priest Rapids, high dam.
- Cost per kilowatt-hour for varying plant-capacity factors:
42. Kettle Falls.
51. Grand Coulee, low dam.
60. Grand Coulee, high dam.
68. Foster Creek.
74. Chelan.
80. Rocky Reach.
90. Vantage.
96. Priest Rapids, low dam.
102. Priest Rapids, high dam.
- Tributary effects:
- Flow duration:
103. Kootenai River at Nelson, British Columbia.
104. South Fork Flathead River.
105. Flathead River near Polson.
106. Clark Fork at Montana-Idaho boundary.
107. Clark Fork at Albany Falls.
108. Clark Fork at Metaline Falls.
109. Priest River near Coolin.
110. Spokane River at Spokane.
111. Spokane River below Little Falls.
112. Wenatchee River near Leavenworth.
113. Wenatchee River at Dryden.
- Developed:
114. Power sites and transmission lines.
General system graphs:
115. Puget Sound Power & Light Co.
117. Washington Water Power Co.
117. Pacific Power & Light Co.
119. City of Tacoma.
119. Grays Harbor Railway & Light Co.

Plate no.		Page
	Developed—Continued.	
	General system graphs—Continued.	
119.	Washington Pulp & Paper Corporation.	
120.	City of Seattle.	
121.	Montana Power Co.	
	Trend of output and installed capacity:	
116.	City of Tacoma.	
116.	City of Seattle.	
116.	Puget Sound Power & Light Co.	
118.	Washington Water Power Co.	
118.	Pacific Power & Light Co.	
118.	Montana Power Co.	
120.	Grays Harbor Railway & Light Co.	
120.	Washington Pulp & Paper Corporation.	
122.	Average analysis of Washington coals.	
123.	Total cost of generation of steam power.	
124.	Cost of transmission per kilowatt-hour.	
125.	Trend of generation of power.	

IRRIGATION

	General:	
3.	Irrigated and irrigable areas.....	590
126.	Rates at which land is put under irrigation.	
	Gravity diversion:	
127.	Distribution system.....	909
128.	Location main canal system.	
129.	Location distribution system.	
130.	Wenatchee-Quincy location of main canals.	
133.	Typical canal and tunnel sections.	
134.	Transition canal to siphon.	
135.	Spokane River crossing.	
	Pumping diversion:	
131.	Distribution system.....	940
132.	Location of canal system.	
136.	Typical canal and tunnel sections.	
137.	North Reservoir Dam—Grand Coulee.	
139.	South Reservoir Dam—Grand Coulee.	
19.	Area-capacity curves, Grand Coulee Reservoir.	
138.	Coulee City Dam site—topography.	
	Economics:	
140.	Distribution of income on 28 farms.	
141.	Distribution of income on 47 farms.	
142.	Repayment curves.....	1031
143.	Per capita acres in crops, pastures, and forests.	
144.	Analysis of results of agricultural production.	
145.	Income per person engaged in agricultural and other industries.	

COMPREHENSIVE PLAN

146.	Plan of improvement.....	1058
147.	Profile of improved river.....	1058

PLATE IN APPENDIX 1

Plate no.	
148.	Important mineral resources.

PLATES IN APPENDIX 4

Plate no.	
149.	Flow sheet of the lumber industry in Washington for 1925.
150.	Average mill price of Douglas fir and western yellow pine; also, cost of production—Logs purchased or logs produced.
151.	Estimated lumber production in western Washington from all sources.
152.	Pulpwood species contained in average annual cut.
153.	Average per capita consumption—Lumber, steel, and cement.
154.	Percent distribution of lumber cut. Distribution by groups of States.
155.	Average stumpage price—Fir, cedar, and spruce.

PLATES IN APPENDIX 5

Plate no.	
156.	Typical canal and tunnel sections.
157.	Columbia River crossing (Greater Wenatchee, plan no. 6-A, division B).
158.	Gravity diversion, Milwaukee siphon.
159.	Gravity diversion, main canal system, condensed profile.
160.	Albany Falls regulating works.
161.	Gravity diversion, diversion headworks to double-bore tunnel.
162.	Gravity diversion, transition, reservoir to double-bore tunnel.
163.	Gravity diversion, transition, reservoir to tunnel.
164.	Gravity diversion, Camden Dam.
165.	Gravity diversion, typical control and outlet works.
166.	Gravity diversion, Dry Creek Dam.
167.	Gravity diversion, transition, canal to tunnel.
168.	Gravity diversion, transition, canal to double-bore tunnel.
169.	Gravity diversion, Deep Creek Dam.
170.	Gravity diversion, Deadman Creek Dam.
171.	Gravity diversion, Latah Creek Dam.
172.	Gravity diversion, Rock Lake Dam.
173.	Gravity diversion, bifurcation works.
174.	Gravity diversion, distribution system, condensed profile.
175.	Pumping diversion, main canal, distribution system, condensed profile.
176.	Pumping diversion, bifurcation works.
177.	Gravity diversion, diversion headworks.

PART 3—REPORT OF THE DISTRICT ENGINEER, PORTLAND, OREG.,
ON COLUMBIA RIVER BELOW THE MOUTH OF SNAKE RIVER

	Page
Chapter I. Introduction.....	1407
Chapter II. Data.....	1409
Columbia River Basin.....	1409
General.....	1409
Geology.....	1412
Topography.....	1415
General.....	1415
River profile.....	1416
Arable lands.....	1417
Climate.....	1419
General.....	1419
Precipitation.....	1419
Temperature.....	1421
Stream flow and storage.....	1423
Stream flow.....	1423
Main River.....	1423
Tributaries.....	1432
Storage.....	1435
Reservations.....	1439
Land.....	1439
Water.....	1440
Population.....	1441
Transportation routes.....	1449
Introduction.....	1449
Water transportation.....	1450
Ocean craft.....	1450
River craft.....	1450
Rail lines.....	1450
Highways.....	1452
Airways.....	1453
Comparison of routes.....	1453
Bridges.....	1453
Industries.....	1454

Chapter II. Data—Continued.

Columbia River Basin—Continued.

	Page
Agriculture, stockraising, and related industries.....	1455
Introduction.....	1455
Field crops.....	1456
Tree fruits and nuts.....	1462
Small fruits.....	1466
Vegetables.....	1468
Livestock and livestock products.....	1469
Fisheries.....	1474
Mining and mineral resources.....	1476
Manufactures.....	1484
Wood-using industries.....	1484
Other industries.....	1491
Textiles.....	1491
Foundries and machine shops.....	1492
Miscellaneous industries.....	1492
Navigation.....	1493
General.....	1493
Previous investigations and reports.....	1497
Existing projects, work done and present condition of river.....	1498
Low water, freshets, ice conditions, etc., affecting navigation.....	1501
Terminal facilities.....	1503
Commerce.....	1504
Local cooperation in river improvement.....	1509
Views of local interests for further improvement of river for navigation.....	1509
Effect of desired improvement.....	1510
River craft, types used and suitable.....	1510
Possibilities of further improvement of Columbia River in the interests of commerce and navigation.....	1514
Possible savings in transportation costs based on potential river tonnage.....	1522
Power.....	1530
Undeveloped.....	1530
General considerations.....	1530
River sections.....	1544
General.....	1544
Section 1. Mouth of Snake to Celilo.....	1545
Earlier investigations.....	1546
Present investigation.....	1547
Homly Rapids.....	1547
Wallula power site.....	1548
Wallula development to elevation 400.....	1549
Wallula development to elevation 550.....	1550
Wallula to Umatilla Rapids.....	1551
Umatilla Rapids site.....	1551
Earlier investigations.....	1552
Present investigation.....	1553
Umatilla to Canoe Encampment Rapids.....	1557
Canoe Encampment Rapids site.....	1557
Canoe Encampment Rapids to Arlington.....	1558
Arlington power site.....	1558
Arlington development to elevation 258.....	1559
Arlington development to elevation 330.....	1561
Arlington to Celilo.....	1563
Blalock Rapids site.....	1563
Four O'clock Rapids site.....	1563
Squally Hook Rapids site.....	1564
John Day Rapids site.....	1564
John Day development to elevation 258.....	1565
John Day development to elevation 330.....	1568
Biggs Rapids site.....	1569

Chapter II. Data—Continued.

Power—Continued.

	Page
Undeveloped—Continued.	
Sec. 2. Celilo to The Dalles.....	1570
Earlier investigations.....	1572
Present investigation.....	1572
Five Mile Rapids plan.....	1572
Three Mile Rapids plan.....	1573
Big Eddy plan.....	1573
The Dalles development to elevation 150.....	1573
The Dalles development to elevation 183.....	1579
The Dalles development to elevation 330.....	1580
Sec. 3. The Dalles to Warrendale.....	1585
Wind Mountain development to elevation 330.....	1585
Cascades Rapids to Warrendale.....	1586
Earlier investigations.....	1588
Present investigation.....	1589
Cascades Rapids plan.....	1589
North Shore plan.....	1592
Bonneville development to elevation 54.....	1593
Warrendale development to elevation 54.....	1596
Developed.....	1604
Power plants.....	1604
Portland General Electric Co.....	1604
Northwestern Electric Co.....	1605
Pacific Power & Light Co.....	1606
Inland Power & Light Co.....	1607
Eastern Oregon Light & Power Co.....	1607
Mountain States Power Co.....	1608
Idaho Power Co.....	1608
City of Eugene, Oreg.....	1609
United States Bureau of Reclamation.....	1610
Transmission lines.....	1611
Market present and prospective.....	1611
Past and present uses.....	1611
Character.....	1611
Growth of territory.....	1612
Bearing of population growth on power uses.....	1612
Industrial development.....	1613
Waterborne commerce.....	1614
Sources of power supply as affecting markets and marketing.....	1618
Characteristics of supply of power.....	1618
Steam—Fuel, etc.....	1618
Hydro—Seasonal variations, etc.....	1620
Oil engines.....	1621
Cost and sales price of power as affecting markets.....	1621
Growth of power business in United States as a whole and on Pacific coast compared with this territory.....	1625
Investment and revenue.....	1625
Installed capacity, kilowatts.....	1625
Output in kilowatt-hours.....	1626
Probable future expansion.....	1627
Based on past records.....	1627
Special conditions which may affect future growth.....	1629
Possible new industries, especially those which may consume large quantities of power.....	1630
Commerce and development of seaboard communities.....	1638
Forecast of probable future expansion.....	1638
Flood control.....	1639
Floods.....	1639
Magnitude.....	1640
Duration.....	1643
Frequency.....	1643
Areas affected.....	1643
Losses and damages.....	1644

Chapter II. Data—Continued.	
Flood control—Continued.	Page
Existing protective works	1648
Districts	1648
Levees	1650
Pumping	1653
Unprotected areas	1654
Location and extent	1654
Use, present and future	1655
Demand for protection	1655
Irrigation	1659
General considerations	1659
Present status	1659
Sources of water	1666
Duty of water	1668
Western system of water appropriation	1668
Formation of irrigation districts	1670
Irrigable areas	1671
Location	1671
Character	1672
Ownership	1674
Economies of pumping	1675
Existing irrigation development	1680
Columbia River bottom lands	1681
Walla Walla River Basin	1681
Umatilla River Basin	1682
Willow Creek Basin	1683
John Day River Basin	1683
Deschutes River Basin	1684
Klickitat River Basin	1686
Hood River Basin	1687
White Salmon River Basin	1688
Willamette River Basin	1689
Miscellaneous stream basins	1690
Possible irrigation development	1692
Earlier investigations	1692
Present investigation	1692
Tracts considered	1692
Cold Springs area	1693
Horse Heaven area	1693
Willow Creek area	1696
Arlington area	1697
Roosevelt area	1697
Irrigation of individual areas	1697
Cold Springs area	1700
Horse Heaven area	1700
Willow Creek area	1703
Arlington area	1706
Roosevelt area	1706
Irrigation of combined areas	1707
Probable rate of future irrigation development	1708
Effect of future irrigation and power demands on flow of Columbia River at The Dalles, Oreg.	1712
Sec. 1. Columbia Basin above the mouth of Snake River	1713
Sec. 2. Snake River Basin	1713
Sec. 3. Area between mouth of Snake River and The Dalles, Oreg.	1714
Summary	1714
Chapter III. Discussion	1719
Navigation	1719
Power	1727
Flood control	1736
Irrigation	1740
General	1740
Probable rate of irrigation development	1741
Determination of pumping lifts	1742
Irrigable areas	1743
Irrigation requirement	1743

Chapter III. Discussion—Continued.	
Irrigation—Continued.	Page
Construction costs	1744
Economic feasibility	1745
Combined features	1746
Chapter IV. Comprehensive plan	1747
Chapter V. Conclusions and recommendations	1749
Conclusions	1749
Recommendations	1750

APPENDIXES

A. Topographic maps and profiles	1750
B. Precipitation, discharge, rail shipments, tonnage, mineral and forest resources	1751
C. Bibliography	1825
Letters from the district engineer, Portland, Oreg., dated Jan. 26 and 29, 1932, in re discussion of flood-control benefits on Columbia River resulting from diversion of 16,000 second-feet at Grand Coulee during May, June, and July	1842, 1845

LIST OF TABLES

No.	Title	
1A.	Arable lands of Columbia Basin, below mouth of Snake River, Oreg.	1418
1B.	Arable lands of Columbia Basin, below mouth of Snake River, Wash.	1418
2.	Average monthly precipitation in inches	1420
3.	Climatological data for U.S. Weather Bureau stations within lower Columbia Basin	1422
4.	List of principal stream-gaging stations below Wenatchee, Wash., and period of record	1423
5.	Effect of irrigation on flow of Columbia River at The Dalles, Oreg.	1426
6.	Observed and estimated natural run-off of Columbia River at The Dalles, Oreg.	1427
7.	Precipitation for typical station within and adjacent to Columbia Basin	1428
8.	Columbia River at The Dalles, Oreg., minimum discharges	1431
9.	Normal yearly discharge of the Columbia and its tributaries below Vernita, Wash.; observed flow	1433
10.	Streams of lower Columbia River Basin	1434
11A.	Population, Oregon, 1890 to 1930, by counties	1442
11B.	Population, Washington, 1890 to 1930, by counties	1442
11C.	Population, Idaho, 1890 to 1930, by counties	1443
11D.	Population, of counties of Montana, Wyoming, and Nevada, within the Columbia River watershed	1444
12.	Population from 1900 to 1930 of communities of 2,500 and over in Washington, Oregon, and Idaho, also in parts of the Columbia River watershed lying within the States of Montana, Wyoming, and Nevada	1444
13.	Incorporated towns, Oregon, Washington, Idaho, and parts of Columbia River watershed lying within the States of Montana, Wyoming, and Nevada, 1930 population of 500 to 2,499	1446
14.	Columbia River watershed and trade areas	1448
15.	List of bridges over Columbia River, Portland, Oreg., district	1454
16.	Field crops	1457
17.	Tree fruits and nuts	1463
18.	Small fruits and vegetables	1467
19.	Livestock and livestock products	470
20.	Wood requirements of lumber-using industries, 1928 (Oregon, Washington, and Idaho, combined)	1486
21.	Estimated timber stands by species (Oregon, Washington, and Idaho)	1490
22.	Unatilla development, estimate of cost and annual charges	1556
23.	John Day development (elevation 258), estimate of cost and annual charges	1567
24.	The Dalles development (elevation 150), estimate of cost and annual charges	1578

No.	Title	Page
25.	The Dalles development (elevation 330), estimate of cost and annual charges.....	1584
26.	Warrendale development (series D), estimate of cost and annual charges.....	1601
27.	Warrendale development (series A), estimate of cost and annual charges.....	1602
28.	Average increase for 10-year period ending in 1930.....	1612
29.	Use of electricity by residential consumers.....	1613
30.	Value added in manufacture by Oregon industries by census years.....	1613
31.	Distribution of energy sold during 1929 among different classes of consumers.....	1614
32.	Comparative statement of traffic.....	1615
33.	Summary of commerce on Columbia and lower Willamette Rivers.....	1616
34.	Wood and paper, 1930.....	1617
35.	Nonmetallic minerals, 1930.....	1617
36.	Vegetable food products, 1930.....	1617
37.	Ores, metals and manufactures of, 1930.....	1618
38.	Fuel power for public use produced in Oregon.....	1619
39.	Cost of transmission per kilowatt-hour.....	1624
	A. 6 percent money.	
	B. 4 percent money.	
40.	Value of plant and equipment in light and power industry.....	1625
41.	Annual revenue from electric service.....	1625
42.	Generator rating in 1,000 kilowatts installed in central power stations.....	1626
43.	Production of electric central power stations.....	1626
44.	Relative production of energy in kilowatt-hours per capita.....	1627
45.	Generation of electrical energy.....	1628
46.	Trend of growth of electrical generation.....	1628
47.	Power requirements of electrochemical processes.....	1631
48.	Estimated future electrical production within marketing distance of Columbia River power sites.....	1639
49.	Maximum yearly discharges of the Columbia at The Dalles, Oreg., and their effect on the stage of the Willamette at Portland, Oreg.....	1640
50.	Dates of, and maximum discharges for Columbia and Snake Rivers, as given in Water Supply Papers.....	1642
51.	Location of flood areas.....	1644
52.	Annual crop values.....	1646
53.	Annual flood losses due to overflow.....	1647
54.	Costs of construction and installation of pumps and tide gates for typical districts.....	1654
55.	Required capacity and cost of pumping, per year.....	1654
56.	Irrigation districts, Columbia Basin below mouth of Snake, Oreg.....	1662
57.	Irrigation districts, Columbia Basin below mouth of Snake, Wash.....	1663
58.	Irrigable lands, Columbia Basin below mouth of Snake.....	1672
59.	Effect on flow of Columbia River of regulating 14,100,000 acre-feet of storage and irrigating 2,226,000 acres in Columbia Basin above mouth of Snake River.....	1715
60.	Distribution of water diverted for irrigation in percent of total amount diverted during season.....	1716
61.	Distribution of return flow by months expressed in percent of total return flow.....	1716
62.	Effect on flow of Columbia River of regulating 10,100,000 acre-feet of storage and the diversion of 6,090,000 acre-feet a year in Snake River Basin.....	1716
63.	Effect on flow of Columbia River of regulating 1,920,000 acre-feet of storage for the diversion of 2,220,000 acre-feet a year from tributaries between mouth of Snake River and The Dalles, Oreg.....	1717
64.	Total effect of future development on flow of Columbia River at The Dalles, Oreg.....	1717
65.	Average monthly flow of Columbia River at The Dalles, Oreg.....	1717
66.	Average monthly flow of Columbia River at The Dalles, Oreg., regulated by total effect of future development as shown in table 64.....	1718
67.	Duration relation for average monthly flow, Columbia River at The Dalles, Oreg.....	1718

No.	Title	Page
68.	Columbia River at The Dalles, Oreg., flood discharges in excess of 600,000 second-feet and storage required to regulate flood discharges, period of record 1878-1930.....	1738
69.	Effect that future regulation would have had upon Columbia River flood discharges of record in excess of 600,000 second-feet at The Dalles, Oreg., period of record 1878-1930.....	1739

PHOTOGRAPHS ¹

Mouth of Columbia River, looking east.
 Homly Rapids, looking upstream.
 Wallula Site, looking downstream.
 Umatilla Rapids Site, looking upstream.
 Arlington Site, looking downstream.
 John Day Rapids Site, looking upstream.
 The Dalles Site, looking upstream.
 Cascades Rapids, looking north, Table Mountain, and area of slide on north bank.
 Bonneville and Cascades Rapids Sites, looking upstream.
 Warrendale Site.

LIST OF PLATES

Only pls. 2, 35, 48, 49, 55, 65, 70 with two overprints, 72, 76-78, 83 with two overprints, 84-88, 117-123, 126, and 128 printed. Copies of the plates not published may be procured at cost of reproduction from the District Engineer, United States Engineer Office, Portland, Oreg.]

Plate no.	Title	Page
1.	Watershed of Columbia River below mouth of Snake, with airways insert.	
2.	General index, Pacific Northwest.....	1410
3.	Lines of equal precipitation, Columbia River watershed below mouth of Snake River.	
4.	Precipitation distribution and average frost-free period, United States Weather Bureau stations.	
5.	Duration relation, Columbia River at The Dalles, Oreg.	
6.	Stage-discharge relation, Columbia River at The Dalles, Oreg.	
7.	Columbia River discharge and precipitation within basin, compared with fluctuations in level of Great Salt Lake.	
8.	Precipitation in percent of normal and 20-year successive averages.	
9.	Yearly run-off and 20-year averages, Columbia River at The Dalles, Oreg.	
10.	Low-flow probability curve, Columbia River at The Dalles, Oreg.	
11.	Average monthly distribution of discharge from Columbia River, period Oct. 1, 1878, to Oct. 1, 1930.	
12.	Seasonal discharge in second-feet of Columbia River and tributaries.	
13A.	Hydrographs, Columbia and Snake Rivers, flow years 1914 and 1915.	
13B.	Hydrograph of Columbia River at The Dalles, Oreg., 1878-30.	
14.	Reservations, parks, and forests, Columbia River watershed.	
15.	Population distribution, Pacific Northwest.	
16.	Condensed profile, transportation routes, Lewiston, Idaho, to Portland, Oreg., and Seattle, Wash.	
17.	County outline map.	
18.	Hay production, Columbia River watershed.	
19.	Wheat production, Columbia River watershed.	
20.	Oats, barley, rye, and corn production, Columbia River watershed.	
21.	Potato production, Columbia River watershed.	
22.	Apple production, Columbia River watershed.	
23.	Pear production, Columbia River watershed.	
24.	Prune and peach production, Columbia River watershed, Montana not included.	
25.	Small-fruit production, Columbia River watershed.	
26.	Vegetables, other than potatoes, Columbia River watershed.	
27.	Dairy cattle, Columbia River watershed.	
28.	Beef cattle, Columbia River watershed.	

¹ Not printed.

Plate no.	Title	Page
29.	Sheep raising, Columbia River watershed.	
30.	Hog raising, Columbia River watershed.	
31.	Horses and mules, Columbia River watershed.	
32.	Poultry raising, Columbia River watershed.	
33.	Bees and honey production, Columbia River watershed.	
34.	Mineral resources, Columbia River watershed below mouth of Snake.	
35.	Navigable waterways and structures, Columbia River below Snake.	1498
36.	Flow duration relation, Columbia River at Cascade Locks.	
37.	Flow velocity relation, at points of critical velocities, Columbia River between Warrendale and Cascade Locks.	
38.	Velocity duration relation at points of critical velocities, Columbia River between Warrendale and Cascade Locks.	
39.	Velocity duration relation at Sheridan's Point, Wash., on Columbia River.	
40.	Maximum discharge during year, Columbia River at The Dalles.	
41.	Eastbound railroad tonnage.	
42.	Westbound railroad tonnage.	
43.	Tonnage report of grain marketed in zones of Columbia and Snake Rivers, Oregon and Washington.	
44.	Partial cost data for eastbound, open-river navigation.	
45.	Partial cost data for westbound, open-river navigation.	
46.	Partial cost data for eastbound, slack-water navigation.	
47.	Partial cost data for westbound, slack-water navigation.	
48.	Power-site index, Columbia River below Snake River	1554
49.	Combination of power sites considered for complete development of Columbia River from mouth of Snake to tidewater	1554
50.	Homly Rapids power site, Columbia River.	
51.	Wallula Rapids power site, Columbia River, drill holes.	
52.	Wallula Rapids power site, Columbia River, plan of dam.	
53.	Umatilla Rapids (map).	
54.	Umatilla Rapids power site, Columbia River, drill holes.	
55.	Umatilla Rapids power site, Columbia River, plan of dam (elevation 330)	1551
56.	Umatilla power site (head graph).	
57.	Umatilla power site (hydrograph).	
58.	Umatilla power site (power output).	
59.	Cauoe Encampment Rapids power site, Columbia River.	
60.	Arlington power site, Columbia River, drill holes.	
61.	Arlington power site, Columbia River, plan of dam.	
62.	Blalock and Four O'Clock Rapids power sites, Columbia River.	
63.	Squally Hook Rapids power site, Columbia River.	
64.	John Day Rapids power site, Columbia River, drill holes.	
65.	John Day Rapids power site, Columbia River, plan of dam	1566
66.	John Day power site (head graph).	
67.	John Day power site (hydrograph).	
68.	John Day power site (power output).	
69.	Biggs Rapids power site, Columbia River.	
70.	The Dalles power site, Columbia River, alternate developments	1570
71.	The Dalles power site, Columbia River, drill holes.	
72.	The Dalles power site, Columbia River, plan of dam (elevation 150)	1573
73.	The Dalles power site (elevation 150) (head graph).	
74.	The Dalles power site (elevation 150) (hydrograph).	
75.	The Dalles power site (elevation 150) (power output).	
76.	The Dalles power site (elevation 330), plan of dam	1582
77.	The Dalles power site (elevation 330), details of dam	1582
78.	The Dalles power site (elevation 330), details of power house	1582
79.	The Dalles power site (elevation 330) (head graph).	
80.	The Dalles power site (elevation 330) (hydrograph).	
81.	The Dalles power site (elevation 330) (power output).	
82.	Wind Mountain power site, Columbia River.	
83.	Cascades, Warrendale, and Bonneville power sites, Columbia River, alternate developments	1586
84.	Cascades power site, Columbia River, drill holes	1589
85.	Bonneville power site, Columbia River, drill holes	1594
86.	Warrendale power site, Columbia River, drill holes	1597

Plate no.	Title	Page
87.	Warrendale power site, Columbia River, plan of dam.....	1597
88.	Warrendale power site, Columbia River, details of power house....	1599
89.	Warrendale power site (with storage) (head graph).	
90.	Warrendale power site (with storage) (hydrograph).	
91.	Warrendale power site (with storage) (power output).	
92.	Warrendale power site (without storage) (head graph).	
93.	Warrendale power site (without storage) (hydrograph).	
94.	Warrendale power site (without storage) (power output).	
	Effects of varying load factors, money rates, and power-market factors upon cost per kilowatt-hour:	
95.	Series A.	
96.	Series B.	
97.	Series C.	
98.	Series D.	
99.	Series E.	
100.	Combined series.	
101.	Electric-power systems, Pacific Northwest, 1930.	
102.	Portland General Electric Co.	
103.	Northwestern Electric Co.	
104.	Pacific Power & Light Co.	
105.	Eastern Oregon Light & Power Co.	
106.	Mountain States Power Co.	
107.	Idaho Power Co.	
108.	Bureau of Reclamation, Minidoka Project.	
109.	Bureau of Reclamation, Boise Project.	
110.	Trend of growth of load for several utilities.	
111.	Comparative statement of traffic.	
112.	Total cost of generation of steam power.	
113.	Cost of transmitting energy.	
114.	Growth of generation.	
115.	Hydrographs of floods in excess of 700,000 second-feet, Columbia River at The Dalles, Oreg.	
116.	Flood-probability curve, Columbia River at The Dalles, Oreg.	
117.	Flood plain of lower Columbia River.....	1645
118.	Existing protective works.....	1649
119.	Levee analysis.....	1651
120.	Unprotected areas, costs of protective works.....	1656
121.	Unprotected areas, capital value per acre, general (dairy farms) ...	1657
122.	Annual maintenance costs.....	1658
123.	Irrigable lands, Columbia River Basin below mouth of Snake River.....	1671
124.	Pumping cost per acre-foot for varying unit prices of power.	
125.	Cost data for pumping areas, Columbia River Basin below mouth of Snake River.	
126.	Areas irrigable by pumping, Columbia River Basin below mouth of Snake River.....	1692
127.	Cropped acreage and population curves.	
128.	Comprehensive plan, development of Columbia River below mouth of Snake River, in accordance with House Document 308, Sixty- ninth Congress, first session.....	1747

